



चार अंश, दशमलव, कोष्ठक के साथ संचालन का क्रम

नाम: _____

दिनांक: _____ स्कोर: _____

$$\frac{1}{2} + 3(3.1 - \frac{3}{5}) =$$

$$\frac{1}{6} \times 12 \div 3 + 3(\frac{1}{2} - \frac{1}{2}) =$$

$$\frac{3}{4} + 5(\frac{2}{5} + 2.3) =$$

$$6(2.3 - \frac{3}{4}) \div 3 \times 5 - \frac{1}{2} =$$

$$(\frac{1}{2} - 2.5) \times 3 + 2.5 =$$

$$(\frac{1}{4} + \frac{2}{5}) \times 3 - 5.5 =$$

$$12(5.8 - \frac{3}{2}) \div 4 \times 5 + 4 =$$

$$9(\frac{2}{3} + 3.1) \div 3 \times 3 + 4 =$$

$$10(\frac{1}{2} - 3) \div 5 \times 4 + 3.6 =$$

$$(\frac{1}{5} + 4.2) \times 2 - 5.2 =$$



नाम: _____

दिनांक: _____ स्कोर: _____

$$\frac{1}{2} + 3(3.1 - \frac{3}{5}) = 8$$

$$\frac{1}{6} \times 12 \div 3 + 3(\frac{1}{2} - \frac{1}{2}) = \frac{2}{3}$$

$$\frac{3}{4} + 5(\frac{2}{5} + 2.3) = \frac{57}{4} = 14\frac{1}{4}$$

$$6(2.3 - \frac{3}{4}) \div 3 \times 5 - \frac{1}{2} = 15$$

$$(\frac{1}{2} - 2.5) \times 3 + 2.5 = (-\frac{7}{2}) = (-3\frac{1}{2})$$

$$(\frac{1}{4} + \frac{2}{5}) \times 3 - 5.5 = (-\frac{71}{20}) = (-3\frac{11}{20})$$

$$12(5.8 - \frac{3}{2}) \div 4 \times 5 + 4 = \frac{137}{2} = 68\frac{1}{2}$$

$$9(\frac{2}{3} + 3.1) \div 3 \times 3 + 4 = \frac{379}{10} = 37\frac{9}{10}$$

$$10(\frac{1}{2} - 3) \div 5 \times 4 + 3.6 = (-\frac{82}{5}) = (-16\frac{2}{5})$$

$$(\frac{1}{5} + 4.2) \times 2 - 5.2 = \frac{18}{5} = 3\frac{3}{5}$$